

PYXIS

0 - 28 - 19

A HIGHLY AVAILABLE POTASSIUM PHOSPHITE BASED PRODUCT FOR USE ON A RANGE OF ARABLE, VEGETABLE AND HORTICULTURAL CROPS





A HIGHLY AVAILABLE POTASSIUM PHOSPHITE BASED PRODUCT FOR USE ON A RANGE OF ARABLE, VEGETABLE AND HORTICULTURAL CROPS

5 Litres 6.425kg

Milbank House, Earls Colne Business Park Earls Colne, Essex, CO6 2NS

+44 (0)1787 323532 | info@orionft.com

Crops	Timing	Rate (l/ha)	Water Volume (l/ha)
Broad Beans	Apply up to early pod formation	2	200-400
	Apply 2-3 weeks after emergence up to commencement of storage root growth	1-2	200-400
	Apply before GS 32	0.5-1	200-400
Field Beans	Apply from 4 nodes up to early pod formation	2	200-400
Maize	Apply between 4 and 8 leaf stage	1-2	200-400
Nursery Stock (Bedding/Pot Plants)	Apply as soon as leaf canopy is sufficiently mature, repeat at 2-3 week intervals or as required	2-4 ml/l	High volume foliar spray or root drench
Oilseed Rape	Apply from 2 leaf stage up to early stem elongation stage	1-2	200-400
Onions/Leeks	Apply between 3 to 6 true leaf stage	2	200-400
Ornamentals (Roses/Christmas Trees)	Apply as soon as there is sufficient leaf canopy and repeat at 2-3 week intervals or as required	4	600-1000
Peas	Apply at 1 U/ha in 200-400 U/ha water between 2 fully expanded leaves up to 3 pairs of fully expanded leaves and/or at 1-2 U/ha in 200-400 U/ha water from flower bud formation up to early pod formation	N/A	N/A
Potatoes	Apply 7-10 days before flowering or when tubers are between 0.6 and 2.5cm in diameter and again 3-5 weeks later	2.5	200-600
Swedes/Turnips	Apply between 6 and 10 leaf stage	1-2	200-400
Vegetable Brassicas/	Apply between 6 and 8 true leaf stage	1-2	200-400

ON ALL CROPS. PLEASE SPRAY A SMALL AREA IN ADVANCE TO TEST FOR VARIETAL SENSITIVITY

WARNING

HAZARDS: Causes serious eye irritation. Contains b-alanine, N-(2-hydroxyethyl)-N-[2-[(1-oxooctyl) aminolethyll. May produce an allergic reaction.

PRECAUTIONS: Wear protective gloves/protective clothing/eve protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if applicable and continue rinsing. If irritation persists seek medical attention.

DISPOSAL: Dispose of contents/container to an approved disposal site in accordance with local regulations.



CONDITIONS OF SUPPLY

All goods supplied by Orion Future Technology are of a high quality and we believe them to be suitable, but we cannot exercise control over their storage, handling, mixing, use or the weather conditions before, during or after application which may affect the performance of the goods. All conditions and warranties, statutory or otherwise, as to the quality or fitness for any purpose of our goods are excluded and no responsibility will be accepted by Orion Future Technology or re-sellers for any failure in performance, damage or injury whatsoever arising from their storage, handling, application or use. These conditions cannot be varied by Orion Future Technology staff or agents whether or not they supervise or assist in the use of such goods.







FOR TECHNICAL ENQUIRIES PLEASE CONTACT ORION FUTURE TECHNOLOGY ON +44 (0)1787 323532 OR INFO@ORIONFT.COM

FOR ADVICE ON MEDICAL EMERGENCIES, FIRES OR MAJOR SPILLS TELEPHONE THE UK NATIONAL CHEMICAL EMERGENCY CENTRE ON +44 (0)1865 407333